CZECH MYCOLOGY

FORMERLY ČESKÁ MYKOLOGIE

Publication of the Czech Scientific Society for Mycology

VOLUME 55

(2003)

EDITORIAL BOARD

Editor-in-Chief

ZDENĚK POUZAR (Praha)

Managing editor

JAN HOLEC (Praha)

VLADIMÍR ANTONÍN (Brno)
ROSTISLAV FELLNER (Praha)
ALEŠ LEBEDA (Olomouc)
JAROSLAV KLÁN (Praha)
ALENA KUBÁTOVÁ (Praha)
JIŘÍ KUNERT (Olomouc)
LUDMILA MARVANOVÁ (Brno)
PETR PIKÁLEK (Praha)
MIRKO SVRČEK (Praha)
PAVEL LIZOŇ (Bratislava)

HANS PETER MOLITORIS (Regensburg)

PRAHA 2003

CABI BIOSCIENCE
EGHAM LIBRARY
15 MAR 2004

CONTENTS

ADAMČÍK S., KUČERA V., LIZOŇ P., RIPKA J. and RIPKOVÁ S.: State of diversity research on macrofungi in Slovakia 201
BABU S., NANDAKUMAR R., SRIRAM S., RAGUCHANDER T., BALASUBRAMANIAN P. and SAMIYAPPAN R.: Phytotoxin production and rice sheath blight development by Rhizoctonia solani mutants derived from gamma irradiation 261
ČERNÝ K., GREGOROVÁ B., HOLUB V. and STRNADOVÁ V.: First finds of "alder--Phytophthora" in the Czech Republic 291
HOLEC J., ANTONÍN V., GRACA M. and MOREAU P.-A.: Gymnopilus igniculus – find from the Czech Republic and notes on its variability 161
JANKOVSKÝ L.: Distribution and ecology of Armillaria species in some habitats of southern Moravia, Czech Republic 173
KOTLABA F. and POUZAR Z.: Polypores (Polyporales s. l.) collected in Cuba 7
KUMARAN R. S. and KANNABIRAN B.: Mycotoxic effect of Abrus precatorius and Rauvolfia tetraphylla root extracts on the growth of Colletotrichum capsici .. 51
MARIA G. L. and SRIDHAR K. R.: Endophytic fungal assemblage of two halophytes from west coast mangrove habitats, India 241
MORAVEC J.: Taxonomic revision of the genus Cheilymenia – 10. Cheilymenia apiculispora spec. nov., a new species of the section Coprobia 215
MÜLLER J.: Rost-, Brand- und Falsche Mehltaupilze neu für Mähren und tschechisch Schlesien 277
NOVÁKOVÁ A. and PIŽL V.: Mycoflora in the intestine of Eisenia andrei (Oligochaeta, Lumbricidae) and in vermiculture substrates 83
NOVOTNÝ D.: Cryptosporiopsis radicicola and Pezicula eucrita – neglected species of microscopic fungi in the Czech Republic 57
NOVOTNÝ D.: A comparison of two methods for the study of microscopic fungi associated with oak roots 73
POUZAR Z.: A new polypore from Cuba: Junghuhnia kotlabae 1
RIPKOVÁ S. and HAGARA L.: New, rare and less known macromycetes in Slovakia I 187
RYBNIKÁŘ A., HEJTMÁNEK M. and WEIGL E.: Survival rate of Trichophyton equinum and T. verrucosum mutants at lyophilisation 273
SUKOVÁ M., SCHEUER C. and BURYOVÁ B.: New records and ecology of Naeviopsis carneola in Central Europe with notes on other fungi growing on Juncus filiformis 223
TOMŠOVSKÝ M. and HOMOLKA L.: Pigment production in incompatibility zones of Trametes versicolor is in correlation with the laccase activity of the dikaryons involved 155
UDAYA PRAKASH N. K. and VITTAL B. P. R.: Aerometric study on thermophilous fungi in a farm house, Chennai 253
Colloquium "Fungi as Model Organisms in Research and Biotechnology – II" Olomouc, Czech Republic, September 5^{th}– 6^{th}, 2002 103
Bookreview 150
Bookreview 152
Bookreview 153
Bookreview 272

New taxa and new combinations

New species

Junghuhnia kotlabae Pouzar 2 — *Cheilymenia apiculispora* J. Moravec 217

Index of generic and specific names of fungi published in Czech Mycology, Vol. 55 (2003) (arranged alphabetically according to the generic names)

Abortiporus 197;
Abortiporus biennis 104, 197;
Absidia coerulea 87, 95;
Absidia corymbifera 256, 257;
Absidia cylindrospora 91;
Absidia cylindrospora var. *nigra* 95;
Absidia glauca 87, 91, 95, 97, 99;
Acremonium 87, 91, 241, 245, 244, 246, 248, 247, 249, 256;
Acremonium bactrocephalum 87, 91, 97;
Acremonium berkeleyanum 87;
Acremonium curvulum 76, 78;
Acremonium charticola 87, 91;
Acremonium kiliense 87;
Acremonium murorum 87, 91, 97;
Acremonium persicinum 76;
Acremonium polychromum 97;
Acremonium strictum 87, 91, 97;
Actinomucor 141;
Actinomucor elegans 141;
Alternaria 107, 125, 130, 248;
Alternaria alternata 76, 95, 106, 110;
Alternaria chlamydosporus 245;
Antrodia albida 9;
Antrodia carbonica 9;
Antrodia gossypia 9;
Antrodia oleracea 8;
Antrodia pini-cubensis 8, 10;
Antrodiella citrinella 158;
Armillaria 113, 131, 173, 174, 176, 177, 178, 179, 180, 181, 183, 184;
Armillaria borealis 113, 173, 174, 177, 179, 182, 180, 183, 184;
Armillaria cepistipes 113, 173, 174, 177, 179, 180, 182, 183, 184;
Armillaria ectypa 113;
Armillaria gallica 113, 173, 174, 177, 178, 179, 180, 181, 183, 184;
Armillaria mellea 113, 173, 174, 177, 179, 180, 181, 182, 183, 184;
Armillaria ostoyae 113, 173, 174, 177, 178, 179, 180, 181, 183, 184;
Armillaria socialis 173, 174, 176, 182, 183, 184;
Armillaria tabescens 113;
Arthrinium arundinis 91;
Arthrinium cuspidatum 228, 229, 230, 231, 232, 233, 234, 235, 238;
Ascophanus striatus 218;
Ascotricha chartarum 245;
Aspergillus 87, 91, 99, 108, 133, 134, 136, 137, 141, 145, 146, 147, 149, 245, 246, 248, 249;
Aspergillus asperescens 87, 91;
Aspergillus bombycis 145;
Aspergillus caespitosus 87, 91, 95, 97;
Aspergillus candidus 87, 91;
Aspergillus clavatus 87, 91, 95, 97, 121, 122;
Aspergillus flavus 87, 91, 95, 97, 99, 100, 133, 134, 144, 145, 146, 149;
Aspergillus fumigatus 87, 91, 95, 97, 99, 100, 253, 255, 256, 257;
Aspergillus glaucus 141;
Aspergillus niger 76, 87, 91, 95, 97, 100, 112, 118, 122, 123, 125, 133, 134;
Aspergillus niger var. *phoenicis* 95;
Aspergillus nomius 145;
Aspergillus ochraceus 87, 91, 95, 97, 133, 134;
Aspergillus oryzae 87, 141;
Aspergillus parasiticus 87, 91, 95, 100, 145, 146, 149;

Aspergillus pseudotamarii 145;
Aspergillus puniceus 87, 91;
Aspergillus sydowii 87, 91, 97;
Aspergillus tamarii 145;
Aspergillus terreus 87, 255, 256;
Aspergillus ustus 76, 87, 91, 95, 97;
Aspergillus versicolor 87, 91, 95, 97, 108;
Aspergillus wentii 87, 91, 95, 97;
Aureobasidium pullulans 139;

Bacillus subtilis 121;
Beauveria 130;
Beauveria bassiana 91;
Beauveria brongniartii 95;
Botryotrichum piluliferum 91;
Botrytis cinerea 87, 106, 110;
Brunnipila calycioides 229, 230, 231, 233, 238;

Camarosporium palliatum 247;
Candida 105, 115, 134, 137;
Candida albicans;
Candida parapsilosis 110, 115;
Ceratocystis 80;
Ceriporia alachuana 8, 10;
Ceriporia purpurea 8, 10;
Ceriporia viridans 10;
Ceriporia xylostromatoides 10, 11;
Cerrena maxima 43;
Chaetomium 99;
Chaetomium globosum 73, 76;
Chaetomium indicum 87, 91, 95, 97;
Chaetomium spinosum 91, 95, 97;
Chaetomium thermophilum var. *coprophilum* 256;
Chaetomium thermophilum var. *dissitum* 256;
Chaetoporellus 188;
Cheilymenia 215, 217, 221;
Cheilymenia apiculispora 215, 217, 218, 219, 220, 221;
Cheilymenia crassistriata 218;
Cheilymenia granulata 216, 218, 221;
Cheilymenia lemuriensis 221;
Cheilymenia polaripustulata 221;
Cheilymenia striata 218, 221;
Cheilymenia theleboloides 216;
Cheilymenia sect. *Coprobia* 216, 217;
Cheilymenia sect. *Striatisporae* 216, 221;
Cheilymenia sect. *Tenuistriatae* 216, 221;
Chloridium virescens 76;
Chrysosporium 76, 87;
Cinereomyces lindbladii 10;
Cistella fugiens 231, 233, 234;
Cladobotryum 87;
Cladosporium 107, 108, 125, 245, 248;
Cladosporium cladosporioides 76, 87, 91, 95, 97, 108;
Cladosporium herbarum 91, 108, 139;
Cladosporium sphaerospermum 76, 87, 91, 97;
Clonostachys rosea 76;
Clonostachys rosea f. *catenulata* 87;
Clonostachys rosea f. *rosea* 87, 91, 97;
Coccidioides immitis 140;
Cochliobolus carbonum 268, 269;
Cochliobolus heterostrophus 268, 269;
Coleosporium doronici 280, 277;
Colletotrichum 241, 245, 244, 246, 247, 248, 249;
Colletotrichum capsici 51, 52, 53, 54;
Colletotrichum gloeosporioides 247, 248;
Colletotrichum musae 54;
Coltricia cinnamomea 13;
Coltricia perennis 13;
Coltriciella dependens 8, 13;
Coltriciella oblectabilis 8, 13;
Coniophora puteana 107;
Coniothyrium fuckelii 78, 88;
Coprobia striata 218;
Coriolopsis byrsina 11, 13;
Coriolopsis floccosa 12, 13;
Coriolopsis fulvocinerea 12, 14;
Coriolopsis occidentalis 104;
Coriolopsis polyzona 15, 17;
Coriolus ectypus 40;
Coriolus hirsutus 43;
Coriolus pinsitus 46, 47;
Coriolus versicolor 46;
Cryptococcus neoformans 140;
Cryptosporiopsis 57, 58;
Cryptosporiopsis melanigena 57, 58, 63;
Cryptosporiopsis radicicola 57, 58, 59, 60, 61, 63, 65, 73, 75, 76, 78, 79;
Cumulospora marina 241, 245, 249;
Cyclomyces iodinus 15, 16;

Cyclomyces tabacinus 16;
Cycloporellus barbatus 16;
Cycloporellus iodinus 15, 17;
Cylindrocarpon 75, 88, 247;
Cylindrocarpon destructans 73, 75, 76, 78, 79;
Cylindrocarpon didymum 73, 76;
Cylindrocarpon magnusianum 88, 91, 95;
Cytospora 245, 246;
Cyttaria darwinii 142;
Cyttaria espinosae 142;

Daedalea amanitoides 24;
Daedalea palisoti 24;
Daedalea repanda 24;
Dermatea livida 63;
Diaporthe 132;
Dictyopanus pusillus 16;
Dicyma 245;
Dichomitus squalens 8, 16, 115, 116;
Doratomyces 99;
Doratomyces microsporus 88, 91, 97, 99;
Doratomyces purpureofuscus 88, 92, 97;
Doratomyces putredinis 88, 92, 95, 97;
Drechslera oryzae 54;

Earliella corrugata 44;
Earliella cubensis 44;
Echinochaete brachypora 8, 16;
Emericella nidulans 88, 92, 95, 97, 255, 256, 253;
Engyodontium album 108, 123;
Entyloma calendulae 277;
Entyloma zinniae 277;
Erysiphe cichoracearum 127;
Eupenicillium 88, 92;
Eurotium amstelodami 88, 92, 95;
Eurotium chevalieri 92;

Favolus brasiliensis 16, 36;
Favolus friesii 16;
Favolus mollucensis 19;
Favolus spathulatus 18, 19;
Flammulina velutipes 158;
Fomes carneus 19;
Fomes fasciatus 19;
Fomes fomentarius 19;
Fomes glaucoporus 27;
Fomes marmoratus 19;
Fomes sulcatus 28;
Fomitopsis carnea 19;
Fomitopsis palustris 34;
Fomitopsis pinicola 114, 158;
Fomitopsis rosea 19;
Frommeella mexicana var. *indicae* 280, 277;
Fusarium 75, 76, 88, 92, 95, 97, 99, 107, 125, 130, 138, 147, 149, 245, 248;
Fusarium avenaceum 92;
Fusarium crookwellense 130;
Fusarium culmorum 88, 95, 97, 126, 130, 147;
Fusarium culmorum;
Fusarium graminearum 130;
Fusarium moniliforme 130, 147;
Fusarium oxysporum 88, 92, 95, 97, 130, 245;
Fusarium poae 121, 126;
Fusarium proliferatum 73, 75, 76, 78, 79;
Fusarium reticulatum 104;
Fusarium solani 73, 75, 76, 78, 79, 88, 92, 95, 97;
Fusarium sporotrichioides 121, 123, 130, 268;
Fusarium tricinctum 126;
Fusarium ventricosum 88, 92, 95, 97, 99;
Fuscoporella nicaraguensis 33;
Fuscoporia carbonaria 18, 19;

Ganoderma adspersum 20;
Ganoderma australe 20;
Ganoderma europaeum 20;
Ganoderma opacum 24;
Ganoderma resinaceum 20;
Ganoderma rivulosum 21;
Ganoderma sulcatum 21;
Ganoderma tornatum 20;
Ganoderma tuberculosum 20;
Ganoderma weberianum 21;
Ganoderma zonatum 21;
Geomyces pannorum 88, 92;
Geotrichum candidum 88, 92, 95, 97, 99, 121;
Gibberella pulicaris 268;
Gibberella zeae 262, 268;
Giberella fujikuroi 95;

Gliocladium 99;
Gliocladium catenulatum 78;
Gloeophyllum berkeleyi 21;
Gloeophyllum mexicanum 21;
Gloeophyllum sepiarium 21;
Gloeophyllum striatum 22, 25;
Grammothele lineata 23;
Grammothele polygramma 23;
Graphium 78, 80, 88, 97, 99;
Gymnopilus dilepis 162, 171;
Gymnopilus igniculus 162, 163, 165, 166, 168, 169, 170;
Gymnopilus luteifolius 162, 171;
Gymnopilus peliolepis 162, 171;
Gymnopilus purpuratus 162, 170, 171;

Helminthosporium carbonum 262;
Hexagonia brevis 23;
Hexagonia floridana 36;
Hexagonia hydnoides 34;
Hexagonia polygramma 23;
Hexagonia reniformis 36;
Hexagonia taxodii 37;
Hexagonia tenuis 8, 23, 25, 26;
Hexagonia wilsonii 36;
Hirschioporus abietinus 48;
Hormoconis resinae 95;
Humicola fuscoatra 88, 92;
Humicola grisea var. *thermoidea* 256;
Humicola insolens 256;
Humphreya coffeata 24;
Hyalodendron lignicola 76;
Hyphodontia 188;
Hyphodontia latitans 187, 188, 189, 198;
Hypocrea 92;
Hypoxylon ticinense 187, 190, 191;

Idriella lunata 123;
Irpex lacteus 120;

Juhghuhnia complicata 6;
Junghuhnia 1, 5, 6;
Junghuhnia kotlabae 1, 2, 3, 5, 24;
Junghuhnia undigera 6;

Lachnum diminutum 231, 232, 233, 234;
Lenzites betulina 155;
Lenzites elegans 24;
Lenzites rhabarbarina 22;
Leptodontidium elatius 76;
Leptographium 80;
Leucoagaricus meleagris 167;
Loweomyces fractipes 197;
Loweporus inflexibilis 27;

Macrophomina phaseolina 262, 268;
Malassezia 133;
Malbranchea cinnamomea 256;
Melampsora ari-salicina 281;
Melampsoridium alni 282;
Melampsoridium betulinum 282, 283;
Melampsoridium hiratsukanum 281, 277, 282, 283, 285, 286;
Melanopsamma pomiformis 123;
Metarhizium anisopliae 88, 92;
Microascus desmosporus 88;
Microbotryum stellariae 283;
Micropeltopsis nigro-annulata var. *papillosa* 229, 232, 232, 233, 234;
Microsporum gypseum 106, 110;
Milesina blechni 284;
Milesina kriegeriana 284;
Milesina vogesiaca 284;
Mollisia palustris 232, 233, 234;
Monascus 142;
Monascus purpureus 142;
Monilia 97;
Monodictys levis 77, 88;
Monodictys putredinis 77;
Mortierella 92, 97;
Mucor 88, 92, 96;
Mucor 99, 100, 107, 125;
Mucor circinelloides 121;
Mucor circinelloides f. *circinelloides* 88, 92, 95, 98, 99;
Mucor circinelloides f. *griseocyaneus* 88, 92;
Mucor dimorphosporus 88, 92, 95, 98;
Mucor dimorphosporus f. *sphaerosporus* 88, 92, 95, 98, 99;
Mucor globosus 92;
Mucor hiemalis f. *corticola* 88, 92, 95;
Mucor hiemalis f. *hiemalis* 88, 92;
Mucor hiemalis f. *silvaticus* 88, 95, 96;
Mucor mucedo 88, 92, 96;
Mucor piriformis 88;

Mucor plumbeus 77;
Mucor racemosus 118;
Myceliophthora thermophila 255, 256;
Mycocladus corymbifer 88, 92, 96;
Mycosphaerella perexigua var. *minima* 230, 232, 233;
Mycosphaerella zeae-maydis 262, 268;
Myriosclerotinia curreyana 225, 228, 232, 233, 234;
Myrothecium 99;
Myrothecium roridum 88, 92, 98, 99;
Myxotrichum deflexum 123;

Naeviopsis 223;
Naeviopsis carneola 223, 224, 225, 226, 227, 228, 231, 233, 234, 235, 236, 237;
Nigrofomes melanoporus 27;
Nigrospora oryzae 245;
Nigrospora sphaerica 123;
Niptera eriophori 228, 229, 230, 232, 233, 234;
Niptera phaea 233;
Nodulisporium 88, 98;

Oidiodendron, maius 98;
Ophiostoma 75, 77, 78;
Ophiostoma piceae 73, 75, 77, 78;
Oxyporus latemarginatus 27;

Paecilomyces 246, 248;
Paecilomyces farinosus 77, 96;
Paecilomyces lilacinus 77, 92;
Paecilomyces puntoni 245;
Paecilomyces variotii 92, 256;
Pachykytospora alabamae 8, 27;
Panellus 16;
Papulaspora 88, 92, 96, 98, 99;
Penicillium 75, 77, 79, 80, 89, 93, 96, 98, 99, 107, 108, 121, 130, 142, 147, 241, 245, 246, 247, 248, 249;
Penicillium arenicola 77, 123;
Penicillium atramentosum 92;
Penicillium aurantiogriseum 89, 92, 96, 98, 118;
Penicillium brevicompactum 89, 121;
Penicillium camembertii 141, 142;
Penicillium canescens 89, 96;
Penicillium caseicola 141;
Penicillium citrinum 89, 93, 96;
Penicillium commune 89, 93, 96, 125;
Penicillium corylophilum 93, 96;
Penicillium crustosum 121;
Penicillium daleae 78, 80, 96;
Penicillium decumbens 89, 93;
Penicillium digitatum 93;
Penicillium dupontii 256;
Penicillium expansum 89, 93, 96, 98, 99, 142, 143;
Penicillium fellutanum 89, 93;
Penicillium funiculosum 93;
Penicillium glabrum 77, 78, 80, 89, 98;
Penicillium glandicola 73, 75, 77, 78, 80, 93;
Penicillium griseofulvum 89, 93, 96, 98;
Penicillium chrysogenum 89, 92, 96, 121;
Penicillium inflatum 89;
Penicillium islandicum 89, 93, 96, 98;
Penicillium italicum 93;
Penicillium janczewskii 98;
Penicillium janthinellum 89, 93, 96;
Penicillium lanosum 93;
Penicillium lividum 89;
Penicillium minioluteum 77, 78, 79, 80, 93;
Penicillium nalgiovense 142;
Penicillium olsonii 93;
Penicillium piceum 89, 93, 96;
Penicillium pinophilum 89, 98;
Penicillium purpurescens 89;
Penicillium purpurogenum 89, 93, 96;
Penicillium purpurogenum var. *rubrisclerotium* 73, 75, 77, 78, 80;
Penicillium roquefortii 89, 93, 96, 98, 142;
Penicillium rugulosum 89, 93, 104;
Penicillium scabrosum 93;
Penicillium simplicissimum 73, 75, 77, 78, 80, 93, 112;
Penicillium solitum 89, 93, 96;
Penicillium spinulosum 78, 80;
Penicillium variabile 98;
Penicillium verrucosum 89;
Penicillium viridicatum 77;
Perenniporia martius 28;
Perenniporia tenuis 28;
Perenniporia tephropora 8, 28;
Peronospora arthurii 278, 277;

Peronospora constantineanui 280;
Peronospora dipsaci 279;
Peronospora chenopodii-polyspermi 279;
Peronospora limonii 280;
Peronospora lychnitis 279;
Peronospora ranunculi 277;
Peronospora ruegeriae 279;
Peronospora statices 279, 280, 277;
Pestalotiopsis 245;
Petriella setifera 89;
Pezicula 57, 58, 59, 63;
Pezicula cinnamomea 57, 58, 69;
Pezicula eucrita 57, 58, 63, 66, 67, 68, 69, 70;
Pezicula livida 57, 58, 64;
Pezicula sporulosa 58;
Phanerochaete chrysosporium 108, 109, 115, 116;
Phanerochaete magnoliae 155;
Phellinus badius 30, 33;
Phellinus calcitratus 28;
Phellinus gilvus 26, 29;
Phellinus licnoides 29;
Phellinus merillii 30;
Phellinus punctatus 30;
Phellinus rimosus 30;
Phellinus robiniae 28, 30, 31;
Phellinus rufitinctus 33;
Phellinus undulatus 33;
Phellinus wahlbergii 33;
Phellinus weirianus 28;
Phellinus weirii 155;
Phellinus zealandicus 33;
Phialophora fastigiata 80;
Phlebia radiata 155;
Phlebia rufa 155;
Phlebia ryvardenii 187, 192, 198;
Phoma 89, 98, 99, 245, 247;
Phoma eupyrena 89;
Phoma exigua 98;
Phoma leveillei 89, 93;
Phoma lingam 89, 98;
Phoma pinodella 89;
Phomopsis 247, 248;
Phomopsis carposchiza 132;
Phomopsis quercella 78;
Phyllachora therophila 230, 232, 233;
Phyllosticta 247, 248;
Phyllosticta sphaeropsoidea 132;
Physisporinus sanguinolentus 33;
Phytophthora 128, 291, 292, 293, 294;
Phytophthora cambivora 291, 292, 294, 295;
Phytophthora citricola 295;
Phytophthora fragariae 291, 294, 295;
Phytophthora gonapodyides 295;
Phytophthora syringae 295;
Pilatoporus palustris 32, 34;
Pilidium concavum 77;
Pithoascus schumacheri 89;
Plasmopara angustiterminalis 280, 277;
Plasmopara pygmaea 277;
Pleurotus ostreatus 104;
Pluteus aurantiorugosus 187, 193, 194;
Pogonomyces hydnoides 32, 34;
Polymyxa betae 128;
Polyporales 7;
Polyporus ciliatus 167;
Polyporus endophaeus 27;
Polyporus guianensis 35;
Polyporus labyrinthicus 43;
Polyporus leprieuri 36;
Polyporus melanoporus 27;
Polyporus sericeohirsutus 46;
Polyporus subelegans 36;
Polyporus tenuiculus 16, 36;
Polyporus tenuis 44;
Polyporus tricholoma 16, 36, 41;
Polyporus wrightii 35;
Polyporus zonalis 38;
Polyscytalum fecundissimum 123;
Polystictus nebularis 48;
Poria albostygia 36;
Poria ambigua 27;
Poria borbonica 39;
Poria carbonica 9;
Poria carneola 37;
Poria carneopallens 39;
Poria cinerascens 10;
Poria phlebiaeformis 37;
Poria xylostromatoides 10;
Porogramme duportii 23;
Pseudofavolus cucullatus 37;
Pseudomonas syringae 268, 269;
Puccinia hordei-murini 284;
Puccinia ruebsaamenii 277, 287;

Puccinia urticata var. *urticae-umbrosae* 287;
Puccinia verruca 287;
Puccinia winteriana 287;
Pycnoporus cinnabarinus 37, 104;
Pycnoporus sanguineus 37;
Pyronemataceae 215;
Pyropolyporus robinsoniae 33;
Pythium 291;

Rhizoctonia solani 261, 263, 264, 265, 266, 267, 268, 269, 262;
Rhizomucor pusillus 255, 256, 257;
Rhizopus 100, 141;
Rhizopus arrhizus 89, 93, 96;
Rhizopus oligosporus 141;
Rhizopus oryzae 106, 110, 121;
Rhizopus stolonifer 89, 93, 96, 99, 100, 256;
Rhodotorula 125;
Rhodotus palmatus 187, 194, 195;
Rigidoporus latemarginatus 27;
Rigidoporus lineatus 38, 41;
Rigidoporus sanguinolentus 33;
Rigidoporus surinamensis 38;
Rigidoporus vinctus 39, 42;

Saccharomyces cerevisiae 125;
Salmonella typhimurium 110;
Scopulariopsis 90, 93, 99;
Scopulariopsis brevicaulis 89, 93, 96, 98, 99;
Scopulariopsis brumptii 89, 93, 98;
Scopulariopsis candida 89;
Scopulariopsis chartarum 90, 93;
Sepedonium niveum 90, 93;
Serpula lacrymans 107;
Sesquicillium candelabrum 78;
Sordaria fimicola 77;
Sordaria humana 90, 99;
Sphacelotheca sorghi 288;
Sphaerostilbella aureonitens 73, 75, 77, 78, 80;
Spongipellis 197;
Spongipellis fractipes 187, 196, 198;
Spongipellis spumeus 197;
Sporisorium sorghi 288;
Sporormiella minima 247;
Stachybotrys chartarum 77, 90, 93, 96, 98;
Streptomyces scabies 268, 269;
Syncephalastrum racemosum 123;

Talaromyces wortmanii 90;
Thermoascus aurantiacus 256;
Thermomyces lanuginosus 255, 256, 257, 253;
Thysanophora penicillioides 90;
Tinctoporellus epimiltinus 39;
Tolypocladium cylindrosporum 93;
Trametes cotonea 40;
Trametes cubensis 40;
Trametes ectypus 40;
Trametes havannensis 43;
Trametes hirsuta 43, 104;
Trametes maxima 43;
Trametes membranacea 44;
Trametes occidentalis 15;
Trametes pubescens 44;
Trametes pusilla 44;
Trametes rigida 13;
Trametes scabrosa 44;
Trametes versatilis 48;
Trametes versicolor 46, 104, 107, 108, 109, 155, 158, 159;
Trametes villosa 42, 46;
Tranzschelia discolor 287;
Trichaptum abietinum 48;
Trichaptum byssogenum 48;
Trichaptum sector 48;
Trichaptum versatile 48;
Trichocladium opacum 77;
Trichoderma 75, 78, 90, 94, 96, 98, 99, 108, 128, 130, 132, 245;
Trichoderma atroviride 78, 90, 93, 96, 98, 99;
Trichoderma hamatum 90, 94, 96, 98;
Trichoderma harzianum 90, 94, 96, 98, 99, 104, 125, 130, 132, 148;
Trichoderma koningii 73, 77, 90, 94, 96;
Trichoderma pseudokoningii 90;
Trichoderma stripticilis 77;
Trichoderma virens 94, 96;
Trichoderma viride 73, 77, 78, 94, 110, 111, 122, 123, 124, 130;

Trichophyton 94;
Trichophyton equinum 273, 274, 275, 276;
Trichophyton verrucosum 273, 274, 275, 276;
Trichothecium 125;
Trichurus 99;
Trichurus spiralis 94, 96, 98, 99;
Tritirachium 99;
Tritirachium roseum 90, 94;
Tyromyces palustris 114;
Tyromyces resupinatus 9;

Ulocladium botrytis 77;
Urocystis leimbachii 288;
Urocystis primulae 289;
Uromyces junci 287;
Uromyces lapponicus 277;
Uromyces limonii 288;
Uromyces renovatus 288;

Verticillium albo-atrum 98;
Verticillium lecanii 90, 94;
Verticillium luteoalbum 90, 94, 98;
Verticillium nigrescens 90, 94, 98;
Verticillium psalliotae 94;

Wrightoporia lenta 8;

Index of specific names of fungi published in Czech Mycology, Vol. 55 (2003) (arranged alphabetically according to the specific epithets)

abietinum, Trichaptum 48;
abietinus, Hirschioporus 48;
adspersum, Ganoderma 20;
alabamae, Pachykytospora 8, 27;
alachuana, Ceriporia 8, 10;
albicans, Candida;
albida, Antrodia 9;
albo-atrum, Verticillium 98;
albostygia, Poria 36;
album, Engyodontium 108, 123;
alni, Melampsoridium 282;
alternata, Alternaria 76, 95, 106, 110;
amanitoides, Daedalea 24;
ambigua, Poria 27;
amstelodami, Eurotium 88, 92, 95;
angustiterminalis, Plasmopara 280, 277;
anisopliae, Metarhizium 88, 92;
apiculispora, Cheilymenia 215, 217, 218, 219, 220, 221;
arenicola, Penicillium 77, 123;
ari-salicina, Melampsora 281;
arrhizus, Rhizopus 89, 93, 96;
arthurii, Peronospora 278, 277;
arundinis, Arthrinium 91;
asperescens, Aspergillus 87, 91;
atramentosum, Penicillium 92;
atroviride, Trichoderma 78, 90, 93, 96, 98, 99;
aurantiacus, Thermoascus 256;
aurantiogriseum, Penicillium 89, 92, 96, 98, 118;
aurantiorugosus, Pluteus 187, 193, 194;
aureonitens, Sphaerostilbella 73, 75, 77, 78, 80;
australe, Ganoderma 20;
avenaceum, Fusarium 92;

bactrocephalum, Acremonium 87, 91, 97;
badius, Phellinus 30, 33;
barbatus, Cycloporellus 16;
bassiana, Beauveria, , 91;
berkeleyanum, Acremonium 87;
berkeleyi, Gloeophyllum 21;
betae, Polymyxa 128;
betulina, Lenzites 155;
betulinum, Melampsoridium 282, 283;
biennis, Abortiporus 104, 197;
blechni, Milesina 284;
bombycis, Aspergillus 145;
borbonica, Poria 39;
borealis, Armillaria 113, 173, 174, 177, 179, 182, 180, 183, 184;
botrytis, Ulocladium 77;

brachypora, Echinochaete 8, 16;
brasiliensis, Favolus 16, 36;
brevicaulis, Scopulariopsis 89, 93, 96, 98, 99;
brevicompactum, Penicillium 89, 121;
brevis, Hexagonia 23;
brongniartii, Beauveria, , 95;
brumptii, Scopulariopsis 89, 93, 98;
byrsina, Coriolopsis 11, 13;
byssogenum, Trichaptum 48;

caespitosus, Aspergillus 87, 91, 95, 97;
calcitratus, Phellinus 28;
calendulae, Entyloma 277;
calycioides, Brunnipila 229, 230, 231, 233, 238;
cambivora, Phytophthora 291, 292, 294, 295;
camembertii, Penicillium 141, 142;
candelabrum, Sesquicillium 78;
candida, Scopulariopsis 89;
candidum, Geotrichum 88, 92, 95, 97, 99, 121;
candidus, Aspergillus 87, 91;
canescens, Penicillium 89, 96;
capsici, Colletotrichum 51, 52, 53, 54;
carbonaria, Fuscoporia 18, 19;
carbonica, Antrodia 9;
carbonica, Poria 9;
carbonum, Cochliobolus 268, 269;
carbonum, Helminthosporium 262;
carnea, Fomitopsis 19;
carneola, Naeviopsis 223, 224, 225, 226, 227, 228, 231, 233, 234, 235, 236, 237;
carneola, Poria 37;
carneopallens, Poria 39;
carneus, Fomes 19;
carposchiza, Phomopsis 132;
caseicola, Penicillium 141;
catenulatum, Gliocladium 78;
cepistipes, Armillaria 113, 173, 174, 177, 179, 180, 182, 183, 184;
cerevisiae, Saccharomyces 125;
chartarum, Ascotricha 245;
chartarum, Scopulariopsis 90, 93;
chartarum, Stachybotrys 77, 90, 93, 96, 98;
charticola, Acremonium 87, 91;
chenopodii-polyspermi, Peronospora 279;
chevalieri, Eurotium 92;
chlamydosporus, Alternaria 245;
chrysogenum, Penicillium 89, 92, 96, 121;
chrysosporium, Phanerochaete 108, 109, 115, 116;
cichoracearum, Erysiphe 127;
ciliatus, Polyporus 167;
cinerascens, Poria 10;
cinerea, Botrytis 87, 106, 110;
cinnabarinus, Pycnoporus 37, 104;
cinnamomea, Coltricia 13;
cinnamomea, Malbranchea 256;
cinnamomea, Pezicula 57, 58, 69;
circinelloides, Mucor 121;
circinelloides f. *circinelloides, Mucor* 88, 92, 95, 98, 99;
circinelloides f. *griseocyaneus, Mucor* 88, 92;
citricola, Phytophthora 295;
citrinella, Antrodiella 158;
citrinum, Penicillium 89, 93, 96;
cladosporioides, Cladosporium 76, 87, 91, 95, 97, 108;
clavatus, Aspergillus 87, 91, 95, 97, 121, 122;
coerulea, Absidia 87, 95;
coffeata, Humphreya 24;
commune, Penicillium 89, 93, 96, 125;
complicata, Juhghuhnia, , 6;
concavum, Pilidium 77;
constantineanui, Peronospora 280;
corrugata, Earliella 44;
corylophilum, Penicillium 93, 96;
corymbifer, Mycocladus 88, 92, 96;
corymbifera, Absidia 256, 257;
cotonea, Trametes 40;
crassistriata, Cheilymenia 218;
crookwellense, Fusarium 130;
crustosum, Penicillium 121;
cubensis, Earliella 44;
cubensis, Trametes 40;
cucullatus, Pseudofavolus 37;
culmorum, Fusarium 88, 95, 97, 126, 130, 147;
culmorum, Fusarium;
curreyana, Myriosclerotinia 225, 228, 232, 233, 234;
curvulum, Acremonium 76, 78;

cuspidatum, Arthrinium 228, 229, 230, 231, 232, 233, 234, 235, 238;
cylindrospora, Absidia 91;
cylindrospora var. *nigra, Absidia* 95;
cylindrosporum, Tolypocladium 93;

daleae, Penicillium 78, 80, 96;
darwinii, Cyttaria 142;
decumbens, Penicillium 89, 93;
deflexum, Myxotrichum 123;
dependens, Coltriciella, , 8, 13;
desmosporus, Microascus 88;
destructans, Cylindrocarpon , 73, 75, 76, 78, 79;
didymum, Cylindrocarpon , 73, 76;
digitatum, Penicillium 93;
dilepis, Gymnopilus 162, 171;
diminutum, Lachnum 231, 232, 233, 234;
dimorphosporus, Mucor 88, 92, 95, 98;
dimorphosporus f. *sphaerosporus, Mucor* 88, 92, 95, 98, 99;
dipsaci, Peronospora 279;
discolor, Tranzschelia 287;
doronici, Coleosporium 280, 277;
dupontii, Penicillium 256;
duportii, Porogramme 23;

ectypa, Armillaria 113;
ectypus, Coriolus 40;
ectypus, Trametes 40;
elatius, Leptodontidium 76;
elegans, Actinomucor 141;
elegans, Lenzites 24;
endophaeus, Polyporus 27;
epimiltinus, Tinctoporellus 39;
equinum, Trichophyton 273, 274, 275, 276;
eriophori, Niptera 228, 229, 230, 232, 233, 234;
espinosae, Cyttaria 142;
eucrita, Pezicula 57, 58, 63, 66, 67, 68, 69, 70;
eupyrena, Phoma 89;
europaeum, Ganoderma 20;
exigua, Phoma 98;
expansum, Penicillium 89, 93, 96, 98, 99, 142, 143;

farinosus, Paecilomyces 77, 96;
fasciatus, Fomes 19;
fastigiata, Phialophora 80;
fecundissimum, Polyscytalum 123;
fellutanum, Penicillium 89, 93;
fimicola, Sordaria 77;
flavus, Aspergillus 87, 91, 95, 97, 99, 100, 133, 134, 144, 145, 146, 149;
floccosa, Coriolopsis 12, 13;
floridana, Hexagonia 36;
fomentarius, Fomes 19;
fractipes, Loweomyces 197;
fractipes, Spongipellis 187, 196, 198;
fragariae, Phytophthora 291, 294, 295;
friesii, Favolus 16;
fuckelii, Coniothyrium 78, 88;
fugiens, Cistella 231, 233, 234;
fujikuroi, Giberella 95;
fulvocinerea, Coriolopsis 12, 14;
fumigatus, Aspergillus 87, 91, 95, 97, 99, 100, 253, 255, 256, 257;
funiculosum, Penicillium 93;
fuscoatra, Humicola 88, 92;

gallica, Armillaria 113, 173, 174, 177, 178, 179, 180, 181, 183, 184;
gilvus, Phellinus 26, 29;
glabrum, Penicillium 77, 78, 80, 89, 98;
glandicola, Penicillium 73, 75, 77, 78, 80, 93;
glauca, Absidia 87, 91, 95, 97, 99;
glaucoporus, Fomes 27;
glaucus, Aspergillus 141;
globosum, Chaetomium 73, 76;
globosus, Mucor 92;
gloeosporioides, Colletotrichum 247, 248;
gonapodyides, Phytophthora 295;
gossypia, Antrodia 9;
graminearum, Fusarium 130;
granulata, Cheilymenia 216, 218, 221;
grisea var. *thermoidea, Humicola* 256;
griseofulvum, Penicillium 89, 93, 96, 98;
guianensis, Polyporus 35;
gypseum, Microsporum 106, 110;

hamatum, Trichoderma 90, 94, 96, 98;
harzianum, Trichoderma 90, 94, 96, 98, 99, 104, 125, 130, 132, 148;
havannensis, Trametes 43;

herbarum, Cladosporium 91, 108, 139;
heterostrophus, Cochliobolus 268, 269;
hiemalis f. *corticola, Mucor* 88, 92, 95;
hiemalis f. *hiemalis, Mucor* 88, 92;
hiemalis f. *silvaticus, Mucor* 88, 95, 96;
hiratsukanum, Melampsoridium 281, 277, 282, 283, 285, 286;
hirsuta, Trametes 43, 104;
hirsutus, Coriolus 43;
hordei-murini, Puccinia 284;
humana, Sordaria 90, 99;
hydnoides, Hexagonia 34;
hydnoides, Pogonomyces 32, 34;

igniculus, Gymnopilus 162, 163, 165, 166, 168, 169, 170;
immitis, Coccidioides 140;
indicum, Chaetomium 87, 91, 95, 97;
inflatum, Penicillium 89;
inflexibilis, Loweporus 27;
insolens, Humicola 256;
iodinus, Cyclomyces 15, 16;
iodinus, Cycloporellus 15, 17;
islandicum, Penicillium 89, 93, 96, 98;
italicum, Penicillium 93;

janczewskii, Penicillium 98;
janthinellum, Penicillium 89, 93, 96;
junci, Uromyces 287;

kiliense, Acremonium 87;
koningii, Trichoderma 73, 77, 90, 94, 96;
kotlabae, Junghuhnia 1, 2, 3, 5, 24;
kriegeriana, Milesina 284;

labyrinthicus, Polyporus 43;
lacrymans, Serpula 107;
lacteus, Irpex 120;
lanosum, Penicillium 93;
lanuginosus, Thermomyces 255, 256, 257, 253;
lapponicus, Uromyces 277;
latemarginatus, Oxyporus 27;
latemarginatus, Rigidoporus 27;
latitans, Hyphodontia 187, 188, 189, 198;
lecanii, Verticillium 90, 94;
leimbachii, Urocystis 288;
lemuriensis, Cheilymenia 221;
lenta, Wrightoporia 8;
leprieuri, Polyporus 36;
leveillei, Phoma 89, 93;
levis, Monodictys 77, 88;
licnoides, Phellinus 29;
lignicola, Hyalodendron 76;
lilacinus, Paecilomyces 77, 92;
limonii, Peronospora 280;
limonii, Uromyces 288;
lindbladii, Cinereomyces 10;
lineata, Grammothele 23;
lineatus, Rigidoporus 38, 41;
lingam, Phoma 89, 98;
livida, Dermatea 63;
livida, Pezicula 57, 58, 64;
lividum, Penicillium 89;
lunata, Idriella 123;
luteifolius, Gymnopilus 162, 171;
luteoalbum, Verticillium 90, 94, 98;
lychnitis, Peronospora 279;

magnoliae, Phanerochaete 155;
magnusianum, Cylindrocarpon 88, 91, 95;
maius, Oidiodendron 98;
marina, Cumulospora 241, 245, 249;
marmoratus, Fomes 19;
martius, Perenniporia 28;
maxima, Cerrena 43;
maxima, Trametes 43;
melanigena, Cryptosporiopsis 57, 58, 63;
melanoporus, Nigrofomes 27;
melanoporus, Polyporus 27;
meleagris, Leucoagaricus 167;
mellea, Armillaria 113, 173, 174, 177, 179, 180, 181, 182, 183, 184;
membranacea, Trametes 44;
merillii, Phellinus 30;
mexicana var. *indicae, Frommeella* 280, 277;
mexicanum, Gloeophyllum 21;
microsporus, Doratomyces 88, 91, 97, 99;
minima, Sporormiella 247;
minioluteum, Penicillium 77, 78, 79, 80, 93;
mollucensis, Favolus 19;
moniliforme, Fusarium 130, 147;
mucedo, Mucor 88, 92, 96;
murorum, Acremonium 87, 91, 97;

musae, Colletotrichum 54;

nalgiovense, Penicillium 142;
nebularis, Polystictus 48;
neoformans, Cryptococcus 140;
nicaraguensis, Fuscoporella 33;
nidulans, Emericella 88, 92, 95, 97, 255, 256, 253;
niger, Aspergillus 76, 87, 91, 95, 97, 100, 112, 118, 122, 123, 125, 133, 134;
niger var. *phoenicis, Aspergillus* 95;
nigrescens, Verticillium 90, 94, 98;
nigro-annulata var. *papillosa, Micropeltopsis* 229, 232, 232, 233, 234;
niveum, Sepedonium 90, 93;
nomius, Aspergillus 145;

oblectabilis, Coltriciella, , 8, 13;
occidentalis, Coriolopsis 104;
occidentalis, Trametes 15;
ochraceus, Aspergillus 87, 91, 95, 97, 133, 134;
oleracea, Antrodia 8;
oligosporus, Rhizopus 141;
olsonii, Penicillium 93;
opacum, Ganoderma 24;
opacum, Trichocladium 77;
oryzae, Aspergillus 87, 141;
oryzae, Drechslera 54;
oryzae, Nigrospora 245;
oryzae, Rhizopus 106, 110, 121;
ostoyae, Armillaria 113, 173, 174, 177, 178, 179, 180, 181, 183, 184;
ostreatus, Pleurotus 104;
oxysporum, Fusarium 88, 92, 95, 97, 130, 245;

palisoti, Daedalea 24;
palliatum, Camarosporium 247;
palmatus, Rhodotus 187, 194, 195;
palustris, Fomitopsis 34;
palustris, Mollisia 232, 233, 234;
palustris, Pilatoporus 32, 34;
palustris, Tyromyces 114;
pannorum, Geomyces 88, 92;
parapsilosis, Candida 110, 115;
parasiticus, Aspergillus 87, 91, 95, 100, 145, 146, 149;

peliolepis, Gymnopilus 162, 171;
penicillioides, Thysanophora 90;
perennis, Coltricia 13;
perexigua var. *minima, Mycosphaerella* 230, 232, 233;
persicinum, Acremonium 76;
phaea, Niptera 233;
phaseolina, Macrophomina 262, 268;
phlebiaeformis, Poria 37;
piceae, Ophiostoma 73, 75, 77, 78;
piceum, Penicillium 89, 93, 96;
piluliferum, Botryotrichum 91;
pini-cubensis, Antrodia 8, 10;
pinicola, Fomitopsis 114, 158;
pinodella, Phoma 89;
pinophilum, Penicillium 89, 98;
pinsitus, Coriolus 46, 47;
piriformis, Mucor 88;
plumbeus, Mucor 77;
poae, Fusarium 121, 126;
polaripustulata, Cheilymenia 221;
polygramma, Grammothele 23;
polygramma, Hexagonia 23;
polychromum, Acremonium 97;
polyzona, Coriolopsis 15, 17;
pomiformis, Melanopsamma 123;
primulae, Urocystis 289;
proliferatum, Fusarium 73, 75, 76, 78, 79;
psalliotae, Verticillium 94;
pseudokoningii, Trichoderma 90;
pseudotamarii, Aspergillus 145;
pubescens, Trametes 44;
pullicaris, Gibberella 268;
pullulans, Aureobasidium 139;
punctatus, Phellinus 30;
puniceus, Aspergillus 87, 91;
puntoni, Paecilomyces 245;
purpuratus, Gymnopilus 162, 170, 171;
purpurea, Ceriporia 8, 10;
purpureofuscus, Doratomyces 88, 92, 97;
purpurescens, Penicillium 89;
purpureus, Monascus 142;
purpurogenum, Penicillium 89, 93, 96;
purpurogenum var. *rubrisclerotium, Penicillium* 73, 75, 77, 78, 80;
pusilla, Trametes 44;
pusillus, Dictyopanus 16;
pusillus, Rhizomucor 255, 256, 257;